

The DAF CF Series







A winner in every respect





A winner in action

With its stylish and spacious cab, range of powerful, efficient and cleaner engines, high payloads and a wide choice of chassis and axle configurations, the CF Series is a highly versatile range of vehicles offering significant benefits for operators and drivers alike. The DAF CF Series is a winner in every respect.







The CF Series, the efficient all-rounder

Created to perform

The DAF CF Series has earned a great reputation among drivers and operators alike. For the stylish yet sturdy exterior, the spacious and comfortable cab with easy access, the class-leading ride and handling, the superior efficiency and well-proven reliability and durability. How do you improve such a superior product? That was the challenge for DAF's design team. As always, they have succeeded in making the best even better: the CF Series.

Designed for a wide range of applications, the DAF CF Series is available in two, three and four axle configurations, single or double drive. With its range of highly efficient PACCAR engines, stylish and comfortable cabs, strong but lightweight chassis which is bodybuilder-friendly as well as a host of technical and aesthetic improvements, the versatile CF Series is designed to perform. An efficient all-rounder, providing operators with a secure foundation for low operating costs and high revenues.

Better by design

In line with DAF's proven design philosophy – 'driven by quality' – operators and drivers alike will benefit from further enhanced safety, comfort and driveability. The mirrors (optionally available in body colour) offer a much larger field of vision, the cat's-eye combi-lights and the distinctive aluminium strip on the lower grille that signifies Euro 4 or Euro 5 compliance, give the CF that little extra touch that makes a modern design even more so.

The interior of the CF features new colours and trim, a clearer instrument panel and dashboard, and a steering wheel with optional integrated controls and airbag. Comfort takes shape in the CF Series.

Efficient and cleaner

The CF Series features a wide choice of efficient drive-lines for high performance with fuel economy in every application. The DAF designed and produced PACCAR MX and PR engines in the CF85 and CF75, meeting either of the stringent Euro 4 or Euro 5 emission standards, as well as the 6.7 litre GR engine in the CF65.

In addition to a wide range of manual transmissions, automated gearboxes are now available throughout the CF range for even greater comfort and safety. The modern lightweight chassis design of the CF Series is totally flat with many components mounted on the inside. Not only does this make the body builder's life a lot easier, it also leaves ample space for large fuel tanks and extra chassis mounted equipment.



Valuable input from operators
and drivers, in combination with
well-proven concepts and
technologies applied by DAF's
development team, has contributed
to making the CF Series
even better than its predecessor.









The CF Series, versatile by nature: The CF85 with the 12.9 litre PACCAR MX engine for outputs of up to 510 hp and torque levels of 2500 Nm. The CF75 is equipped with the revised 9.2 litre PACCAR PR engine ranging from 250 to 360 hp. And last but not least, the versatile CF65, with its 6.7 litre GR engine for outputs ranging from 220 to 285 hp.

Option:

Skylights available for DAF CF65, CF75 and CF85 Space Cabs.

Compact yet spacious, stylish yet sturdy

Fit for the job

The CF has compact external cab dimensions for excellent manoeuvrability in tight spaces. The low kerb weight for high payloads, sturdy design, powerful engines and broad range of chassis and axle configurations make the CF suitable for a multitude of applications, ranging from inner-city delivery and special tasks such as fire engines or tankers to construction vehicles and long-distance transport.

Such a wide range of applications asks for different cab variants. The CF therefore comes with a choice of three cabs: a Day Cab, a Sleeper Cab and the extra spacious Space Cab, offering an interior height of 2.23 metres. All cab variants combine compact external dimensions with a surprisingly spacious interior and offer easy access, excellent visibility and an ergonomic working environment. The CF cab is clearly designed around the driver.

A refreshing family look

Subtle external styling enhancements give the cab a refreshingly modern appearance with a clear DAF family look. Highly appreciated CF features such as the steel bumper, the large approach angle and good ground clearance, virtually unbreakable Lexan protection for the headlights (optional Xenon) and optional cat's eye combi-lights, underline how the CF is purpose-designed for tough operations.

Corner spoilers are fitted as standard to reduce the effects of road spray, keeping side windows and mirrors clearer and door handles cleaner.

The aerodynamically styled electrically adjustable and heated mirrors

 optional in body colour – provide a wider field of vision for increased safety. For 4x2 tractor units, aerodynamically designed side-skirts are also available.

Easy access

Carefully positioned non-slip illuminated steps, well-positioned grab handles, large and wide opening doors that extend into the roof, together with the low cab floor ensure easy access, so important for multi-drop distribution, where drivers get in and out many times a day. Remote control central locking is available as an option.

Two, three or four axles

The CF is available in a wide variety of wheelbases and axle configurations, from two-axle tractors and rigids to three-and four-axle vehicles with single- or double drive. Trailing axles, a pusher axle, steered second- and trailing-axles; all make the CF Series such a multi-functional vehicle range. Whatever the application, there is a CF that is fit for the job.

With a large range of cabs, drive lines and axle configurations; there's a CF that precisely matches every operator's needs.







The Space Cab offers a total of 900 litres of storage space, including large lockers above the windscreen, which can even accommodate a microwave.



Two full-size beds in the Space Cab for a good night's rest. * second bunk as an option.



An under-bunk refrigerator is available as an option.

Comfort and convenience come as standard

Comfort with style

Comfort, safety and operational efficiency are at the heart of the CF design. Once inside the cab, the sense of roominess is evident, accentuated by the large windscreen and side windows. The intelligent use of space and high-quality materials in warm yet practical colours, creates an ergonomic environment that is both productive and pleasant.

From the fully adjustable air-sprung driver's seat with integral headrest and optional adjustable lumbar support and seat-belt tensioners, the driver has excellent access to all controls. The seats mould to the body to provide fatigue-reducing support. Extensive seat adjustment, combined with the two way adjustable steering wheel ensures the optimum driving position for drivers of all sizes.

A touch of class

Special attention is given to the aesthetic design of the interior and durability of the materials. There are lighter trim colours for less frequently used areas, and darker, easier to clean shades for frequently touched areas. The camel grey coloured interior gives a comfortable feeling and offers a pleasant working and living atmosphere. Materials and finishes equal those of top-class passenger cars, as do the well-thought-out comfort elements. The vents in the door panels, for instance, create a warm air 'curtain' along the side windows for optimum driver comfort.

Practical space

Drivers will appreciate the generous and practical storage facilities of the CF cab. The Day Cab has a large lockable tray and cup holder on the engine tunnel and practical storage space above the windscreen. The Sleeper Cab also has storage space under the lower bunk. The under-

bunk storage locker on the left-hand side is insulated from odours and is accessible from the outside only. For long-distance operation, the roomy Space Cab provides standing height on the engine tunnel, extensive storage space, including large illuminated lockers above the windscreen and room for home comforts like a TV, refrigerator and microwave.

A good night's rest

A superb bed is crucial for a good night's rest. The CF Sleeper Cab offers a full-size one-piece mattress that is 205cm long, 70cm wide and 12cm thick. The bunk is also available in a raised position, offering a comfortable place to sit while providing extra under-bunk storage space for an optional refrigerator. In the Space Cab, the raised bed is standard and a second bed over 2 metres long and 70cm wide is available as an option. For even greater comfort a new, 15 cm-thick, one-piece pocket spring 'Xtra Comfort' mattress (chosen in a test by drivers themselves as giving the best level of comfort) is available as an option in both the Sleeper Cab and the Space Cab.







Fingertip control for a safer drive

Technology with a human touch

Take a seat behind the ergonomically designed steering wheel and it immediately becomes clear that safety and ease of operation were given high priority during the development of the CF Series. This means less distraction and less fatigue, making driving safer, more comfortable and less stressful.



The thick-rimmed, four-spoke steering wheel ensures a comfortable grip and clear view on the instruments. It is adjustable in angle and reach. An airbag is available as an option, as are illuminated integrated switches for operating a number of features including cruise control, variable speed limiter, downhill speed control and optional hands-free telephone function. Other key operating functions, including those for the AS-Tronic gearbox, are controlled with logically positioned steering column stalks. Controls for the mirrors and side window are flush-mounted in the door panel.

Information on request

The modern instrument panel with purpose-designed layout has stylish aluminium highlights. Offering excellent clarity with minimal reflection, the main gauges provide information on primary functions. The central information display presents only essential vehicle information when

needed or on the drivers request. This ensures that the driver is not unnecessarily distracted but still receives any relevant information. The LCD information display also provides information on trip duration, fuel consumption, average speed and PTO hours.

Extra installation facilities


Among the features on the dashboard are three DIN slots, vertically stacked, to allow easy installation of not only an audio system but also the screen of a navigation or camera system, or an on-board computer. There is also a dash-mounted position for a optional mobile phone fitment, which is pre-wired for hands-free connection through controls on the steering wheel.

Switches of other functions, including those of the high-capacity heating and ventilation system with optional automatic temperature control (ATC), are located within easy reach on the dashboard.



The steering wheel is generously adjustable: 8.5 cm in reach and between 30° and 45° in angle.





Range of efficient engines

The power to perform

The versatility of the CF is underlined by the wide choice of engines. The CF65 is equipped with the 6.7 litre PACCAR GR engine. The CF75 is powered by the 9.2 litre PACCAR PR engine, while the CF85 features the 12.9 litre PACCAR MX engine as used in the XF105. Three state-of-the-art power plants, offering power ratings from 220 hp up to 510 hp, to meet individual requirements. And all of them equipped with DAF SCR Technology for a bright future.

The DAF-designed and produced PACCAR

MX engine combines excellent performance with
economical fuel consumption. The use of highquality materials such as Compact Graphite Iron
for cylinder block and cylinder head and extensive
function integration result in excellent reliability
and durability. The inlet manifold, for example, is
integrated in the cylinder head, while the oil filter, oil
thermostat and oil cooler are combined in a single
lubrication oil module. The unique SMART injection
system, together with the SCR catalytic converter
technology, means that the PACCAR MX and
PR engines meet the stringent Euro 4 and Euro 5
emission standards even without a soot filter.

All PACCAR engines are designed to offer the highest standards of economy, reliability and durability to please operators, while comfortable power benefits the driver. The 6-cylinder, in-line engines with smart high-pressure injection systems are cleaner and deliver high power and torque at low engine speeds.

6.7 litre GR engine for the CF65

The 6.7 litre PACCAR GR engine in the CF65 offers maximum outputs of 220, 250 and 285 hp and torques of 850, 950 and 1,020 Nm respectively. The GR-engine complies with the Euro 4 and Euro 5 emission standard thanks to the high-pressure common rail injection system and SCR technology. The use of more efficient and low-maintenance components in combination with optimised cooling and combustion allows service intervals to be increased to 35,000 km for distribution applications and 55,000 km for the long haul, thus reducing operating cost and increasing uptime. The standard exhaust brake offers increased braking performance and is actuated by foot pedal or steering wheel stalk.

9.2 litre PR engine for the CF75

The 9.2 litre PACCAR PR engine in the CF75 delivers a maximum power of 250, 310 or 360 hp with maximum torques of 1,050, 1,275 and 1,450 Nm respectively. The engine is available to comply with either



9.2 litre PACCAR PR engine for the CF75. Compact, powerful and efficient, with power outputs of up to 360 hp and an impressive torque of up to a maximum of 1,450 Nm.

Euro 4 or Euro 5 emission standards thanks to the SMART injection system and DAF SCR technology. Optimisation of the combustion process and components leads to service intervals of 75,000 km. For long distance applications and when using synthetic oil and a centrifugal filter, service intervals of up to 100,000 km are available. The standard exhaust brake, operated with a foot pedal, offers a maximum braking power of 170 kW at 2,800 rpm.

12.9 litre MX engine for the CF85

The CF85 is equipped with the 12.9 litre PACCAR MX engine from the prestigious DAF XF105, available in 360, 410, 460 and 510 hp versions with high torques ranging from 1,775 up to 2,500 Nm. The MX engine can be specified to comply with either Euro 4 or Euro 5 emission standards thanks to the SMART injection system and SCR technology. The new engine design results in increased service intervals to 90,000 km. With synthetic oil and centrifugal filter, intervals of up to 150,000 km can be achieved, resulting in lower operating costs and maximum vehicle availability. An integrated MX engine brake can be specified, providing excellent engine brake performance from 200 kW at 1,500 rpm to 325 kW at 2,100 rpm.



DAF SCR Technology for a bright future

The clean route



The compact lay out of the DAF SCR installation leaves enough free space on the chassis for large fuel tanks and other equipment.

Depending on the vehicle type, AdBlue tanks are available with a capacity of 26 up to 75 litres. This means that the AdBlue tank does not have to be filled more often than the diesel tank.

All DAF CF vehicles feature Selective Catalytic Reduction (SCR) for achieving the stringent Euro 4 and Euro 5 emission requirements. SCR technology is simple, reliable and efficient. DAF SCR Technology, the clean route to a bright future.

As SCR is an after-treatment system, it allows the most efficient combustion in the engine. And DAF goes even further. DAF SCR Technology comes with a whole range of PACCAR engines with smart injection technology that makes a particulate filter redundant.

Optimized combustion leads to class-leading fuel efficiency, performance, durability and reliability. The ideal foundation for low cost of operation and high resale values.

How does it work?

It's simple and effective. Basically the exhaust gas after-treatment system consists of a catalytic converter, a dosing unit and an AdBlue tank with sufficient capacity to match the range offered by the fuel tank. The exhaust gases are lead through the Selective Catalytic Converter, where AdBlue is added. A chemical process takes place, resulting in NOx emissions being broken down into harmless water vapour and nitrogen. AdBlue consumption is only 4 to 6% of the diesel consumption, or around 1.5 litres per 100 kilometres.

DAF EEV engines

By fitting an open soot-filter to
Euro 5 engines, DAF Trucks can
supply all models compliant with the
Enhanced Environmentally friendly
Vehicles (EEV) standard in 2008.
In so doing, DAF is one of the first
truck manufacturers to achieve a
further reduction in particle emissions
to a level of only 0,015 gram/kWu.
This is even 25 percent below the
EEV standard, which until recently
was thought to be achievable only
with natural gas engines.



DAF SCR Technology for a bright future





Reliable drive lines for greater efficiency

Manual or automatic

An economical engine is only the starting point for an efficient drive line. Gearbox and rear axle are equally important when it comes to efficiency and keeping cost per kilometre as low as possible. That is why DAF has been focussing for many years on integrated drive line technology. The drive lines in the CF Series are further proof of this philosophy.



Automated gear shifting

To further optimize comfort and efficiency, AS-Tronic gearboxes are available as an option on all CF types. This automated gearbox employs an electronic system to select the right gear for every situation, resulting in lower fuel consumption and enhanced driver comfort. Because the driver can fully concentrate on the traffic, an AS-Tronic gearbox improves

safety too. If the driver does decide to take control, the AS-Tronic can be shifted manually without using a clutch. For special applications, such as fire engines or refuse collection vehicles, the CF75 is available with a fully automatic five-speed Allison transmission.

Reliable, economic rear axles

To cater for many applications, the CF Series has a range of DAF single reduction rear axles. These axles have earned an excellent reputation for long service life, excellent reliability, and above all, low internal resistance. This means less energy losses in the drive line resulting in better fuel consumption. The wide range of rear axle rations facilitates selecting exactly the right drive line for each individual application.

Heavy-duty hub reduction

For particularly demanding applications, the CF can also be supplied with the heavy-duty DAF HR 1356 hub reduction axle or the HR 1355T dual-drive tandem axle, a real 'champion', which provides maximum torque to the wheels without excessively overloading the drive line. These are the ultimate drive trains for tough applications such as construction vehicles and for transporting exceptionally high weights, such as heavy haulage duties.



A multifunctional chassis for a versatile vehicle

A solid foundation

Vehicles in the CF-segment are used intensively, often in heavy-duty applications. The wide range of applications places considerable demands on the chassis. The robust, flat-topped chassis design is the basis of a wide range of axle configurations, wheelbases and specifications. The result: a multifunctional chassis that provides a solid foundation for every application.

The robust CF-chassis is made of high-quality steel, resulting in an exceptionally strong but lightweight chassis for high payloads. It is completely flat, making it the perfect base for any superstructure. To make the body builder's job as easy as possible, the main frame members are pre-drilled to ensure easy mounting of the body. A Body Builder's Module (BBM) can also be provided to facilitate communication between the electric systems of vehicle and body. There is a range of Power Take Off (PTO) options available, including front end, gearbox and engine PTOs for a wide range of applications, including the constant drive of a concrete mixer.

Smart chassis design

The CF chassis is available in a wide variety of wheelbases, chassis and axle configurations. The chassis shape, layout and positioning of components is designed to minimize vehicle weight and maximize available space. Many components, such as air tanks and other brake components, are mounted on the inside of the chassis frame, leaving ample space for the fitment of crane legs, twist locks, hydraulic tanks,

tool boxes and other additional equipment. The compactly designed SCR after-treatment system, including the AdBlue tank, leaves sufficient free space for large fuel tanks of up to 1,500 litres on a 4×2 tractor unit.

Axle configurations

The CF65 is available as a 4×2 truck chassis in a large number of wheel base variants. The CF75 and CF85 series offer many different axle configurations, ranging from two-axle tractors and rigids to three- or

Good ground clearance and a large approach angle make the powerful CF85 an ideal construction vehicle. It is available in 6 x 4 and 8 x 4 configuration.

The wide range of engine, gearbox, axle, chassis and cab combinations means the CF is a true multifunctional concept designed for intensive use and heavyweight duties.



Unbeatable driving characteristics

A joy to drive

The CF Series is characterized by superb driving properties and excellent manoeuvrability. A great deal of attention has been devoted to optimally match chassis design, steering, brakes and suspension. This, together with the high torque characteristics of the engines and comfortable cab design, makes the CF Series a joy to drive under all circumstances.

Depending on the application and customer requirements, the CF is available with long, comfortable parabolic springs or electronically controlled air suspension on the front and rear axle. Conventional leaf springs are available for exceptionally demanding applications. The 6 x 4 and 8 x 4 versions are equipped with DAF's unique 8-rod tandem suspension which offers high articulation, excellent traction and a high roll centre. To prevent an overload on one of the front axles on four axle vehicles, the axles are spaced 2.05 m apart and axle load compensation is applied automatically.

Electronically operated disc brakes

The DAF CF Series features disc brakes. The flat discs are thermally insulated from the hub to ensure a long service life. Moreover, the electronic brake system (EBS) control of the CF75 and CF85 gives a similar rate of wear for all brake pads on the front and rear axles. The Anti-lock Braking System (ABS) is integrated with the electronic system, while a CAN interface is provided for (semi-) trailers with EBS.

Besides Anti-Slip Reduction (ASR) and Brake Assist, Vehicle Stability Control (VSC) is also available. The purpose of these systems is to

maintain the stability of the vehicle in difficult situations and to further reduce the chance of jack-knifing and skidding. VSC is available on two- and three-axle tractors.

Efficient driving pleasure

All in all, the CF Series is the ultimate driver's truck – a thoroughbred driving machine. With a comfortable, spacious cab, the PACCAR engines for great performance, a smooth ride and accurate steering behaviour for excellent roadholding, park steer for low-speed manoeuvring and a whole range of optional safety enhancing features. These include viewing cameras for maximum safety during tight manoeuvres and a Lane Departure Warning System.

For the operator, the CF at Euro 4 or Euro 5 offers a solid foundation for low-cost operation and high transport efficiency, combined with the highest standards of quality and reliability for optimum availability. And finally, the CF is designed for durability, resulting in higher resale values.







Committed to World Class

Right first time

DAF Trucks – A PACCAR Company – applies state-of-the-art technology to maintain the highest standards in development and manufacturing. Over the last few years, major investments have been made in all DAF factories. DAF trucks are built in world-class facilities by dedicated people, using high-quality materials and efficient processes.

For the production of the PACCAR PR and MX engines, the engine factory has been totally renewed, making it one of the most modern of its kind in the world. In the other factories too, major innovation programmes have been undertaken to achieve the highest efficiency and quality levels. DAF Trucks introduced World-Class Manufacturing standards: everything right first time, with no unnecessary loss of energy or materials and with the highest conceivable quality. As a result, world-class products are manufactured in world-class factories.

Information Technology

DAF Trucks and its dealers have Information technology systems that track a truck and its components throughout its entire life cycle – from design and production to aftermarket customer support. Engineering applies powerful three-dimensional CAD/CAM techniques that seamlessly interface with the production systems, ensuring employees receive detailed on-line work instructions. The engineering data for each

individual truck is centrally stored for guaranteed traceability, making it easy for dealers to check specifications and order parts – right down to the options fitted.

Product Development

The DAF Technical Centre offers comprehensive research, development and testing facilities, including an anechoic chamber for noise measurements and a modern engine laboratory. DAF also has an extensive proving ground for simulating road conditions so vehicle performance can be thoroughly tested. DAF Trucks delivers world-class vehicles, designed in world-class development facilities by a world-class development team.

EcoDesign and environmental policy

DAF has had an environmental policy in place for over 10 years, covering all its activities, products, services and locations – including dealers. Its environmental care system is ISO 14001 approved. DAF is committed to conducting its business in a responsible way. EcoDesign is the company's unique approach to environmentally responsible product design, and is concerned with ensuring that all of DAF's products comply with the strictest environmental guidelines, from first concept to end-of-life recycling.







Advanced equipment and IT systems contribute to improved quality and increased efficiency.

DAF uses World-Class Manufacturing standards:

Right first time; no waste of energy and materials; highest quality standards.











DAF's one-stop-shop offers a total transport solution

With you all the way

Road transport is all about optimum efficiency, so DAF offers a total transport solution, designed to maximize earnings per kilometre. It is supported by a professional organization and dealer network that helps customers choose the right vehicle, finance it, maintain it in perfect condition, and keep it running at all times.

DAF Trucks not only makes quality vehicles, but also has a first-class back-up organization with more than 1,000 independent dealers in Europe. They provide support ranging from financial services to repair & maintenance contracts. Parts for trucks and trailers are always available, supplied to workshops by PACCAR Parts Distribution Centres in the Netherlands, the United Kingdom and Spain. Every week, over 3,000 shipments are made to dealers and customers across Europe and beyond – often within 24 hours.

Tailored Repair & Maintenance services for improved profitability

By offering a fixed price per kilometre for repair & maintenance, DAF MultiSupport ensures a perfectly maintained fleet without unexpected high costs. Customers can choose the level of services, with options for trailer and body cover. Benefits include increased transparency in operational costs and reduced administration, enabling fleet operators to focus more on the transport business. DAF MultiSupport helps to maximize the return on investment in your vehicle.

Tailor-made financial services

PACCAR Financial has 50 years' experience in the transport industry and

understands today's business needs. Services include financing the total truck combination, R&M contracts and insurance. PACCAR Financial is available at all DAF dealer locations, providing one-stop access for trucks and financial help – including solutions for national and pan-European operators.

DAF International Truck Service (ITS)

If something unexpected should ever happen, one telephone call to DAF's ITS gets the truck rolling again with minimum delay. Often copied but never equalled, ITS is on stand-by day and night, 365 days a year. Experienced employees mobilize the DAF service organisation, handling language and financial issues to ensure that a stranded truck is back on the road with minimum delay.


DAF Telematics System

The DAF Telematics System is designed to optimise business processes at all levels. It provides tracking and tracing, geofencing, navigation, route planning, messaging and camera view. It therefore enables managers to monitor performance and lower costs. Planners will be able to more easily react to changes, and fleet managers can improve maintenance planning. Drivers will drive more efficiently, safe and comfortable.


The DAF Telematics System is based on the highest quality norms and can be easily integrated with current IT systems. Also, because it is prepared for future developments, the investment will pay returns for many years to come.

At DAF, we understand better than anyone else that a truck has to keep moving.














The CF engine overview

Vehicle	Engine	Type indication	Performance	Torque	Emission level
DAF CF65	PACCAR GR	CF65.220	165 kW / 220 hp from 1900 rpm	850 Nm at 1200-1700 rpm	Euro 4 / 5
	6,7 ltr	CF65.250	184 kW / 250 hp from 1900 rpm	950 Nm at 1200-1800 rpm	Euro 4 / 5
		CF65.280	210 kW / 285 hp from 2100 rpm	1020 Nm at 1200-1800 rpm	Euro 4
DAF CF75	PACCAR PR	CF75.250	183 kW / 250 hp at 2200 rpm	1050 Nm at 1100-1700 rpm	Euro 4 / 5 / EEV
	9,2 ltr	CF75.310	228 kW / 310 hp at 2200 rpm	1275 Nm at 1200-1700 rpm	Euro 4 / 5 / EEV
		CF75.360	265 kW / 360 hp at 2200 rpm	1450 Nm at 1200-1700 rpm	Euro 4 / 5 / EEV
DAF CF85	PACCAR MX	CF85.360	265 kW / 360 hp from 1500 rpm	1775 Nm at 1000-1410 rpm	Euro 4 / 5 / EEV
	12,9 ltr	CF85.410	300 kW / 410 hp from 1500 rpm	2000 Nm at 1000-1410 rpm	Euro 4 / 5 / EEV
		CF85.460	340 kW / 460 hp from 1500 rpm	2300 Nm at 1000-1410 rpm	Euro 4/5/EEV
		CF85.510	375 kW / 510 hp from 1500 rpm	2500 Nm at 1000-1410 rpm	Euro 4 / 5 / EEV











The most modern product range on the market

A truck for every need



Every transport application has unique requirements, so every DAF vehicle is unique, built to order from a range of cab, chassis, driveline and axle configurations. Three vehicle concepts – the XF, CF and LF – one quality standard: the best. When ordering, the DAF sales specialist guides customers through the selection process using state-of-the-art software, ensuring the specifications exactly match the application. Whatever the challenge, there's a DAF to meet it.

With a balanced selection of cabs, engines, drive lines and axles, there's a DAF truck that precisely matches your needs, whatever the application.





No rights can be derived from this publication. DAF Trucks N.V. reserves the right to change product specifications without prior notice.

Products and services comply with the European Directives effective at the time of sale but may vary depending on the country in which you are located. For the most recent information, contact your authorized DAF dealer.

> DAF Trucks N.V. Hugo van der Goeslaan 1 P.O. Box 90065 5600 PT Eindhoven The Netherlands Tel: +31 (0) 40 21 49 111

Fax: +31 (0) 40 21 44 325

www.daf.com

DW 14193802/HQ-GB: 1007

driven by quality





